In re Application of: Christensen et al Serial No. 10/018,604

IN THE CLAIMS:

Amend the claims as follows:

- 1. (Original) A process for modifying a pectin comprising:
 - (i) providing a host having PME activity and PG activity;
- (ii) transforming said host by silencing PG activity thereby to provide an increased PME to PG ratio;
 - (iii) preparing a PME extract from the transformed host;
 - (iv) using the PME extract to modify pectin.
- 2. (Original) A process according to claim 1 wherein the activity of the native PG enzyme is silenced by expression of all or part of a nucleotide sequence in an antisense orientation.
- 3. (Currently Amended) A process according to claim 1 wherein the activity of the native PG enzyme comprising the amino acid sequence presented as SEQ <u>ID No:</u> <u>ID No.</u> 2 or a variant, homologue or fragment thereof is silenced by expression of all or part of a nucleotide sequence in an antisense orientation.
- 4. (Currently Amended) A process according to claim 1 wherein the activity of the native PG enzyme comprising the amino acid sequence presented as SEQ <u>ID No:</u> ID No. 2 is silenced by expression of all or part of a nucleotide sequence in an antisense orientation.
- 5. (Currently Amended) A process according to claim 1 wherein the activity of the native PG enzyme is silenced by expression of all or part of a nucleotide sequence comprising the sequence presented as SEQ <u>ID No:</u> ID No. 1 or SEQ ID No. 3 or SEQ <u>ID No:</u> 1 Or SEQ ID No. 4 or a variant, homologue, fragment, or derivative thereof in an antisense orientation.
- 6. (Currently Amended) A process according to claim 1, wherein the activity of the native PG enzyme is silenced by expression of all or part of a nucleotide sequence

In re Application of: Christensen et al Serial No. 10/018,604

comprising the sequence presented as SEQ <u>ID No: ID No. 1 or SEQ ID No. 3</u> or SEQ <u>ID No: ID No. 4</u> in an antisense orientation sequence.

- 7. (Previously Presented) A process according to claim 1 wherein the activity of the native PG enzyme is silenced *in planta*.
- 8. (Previously Presented) A process according to claim 1 wherein the process includes the further step of isolating the PME modified pectin from the active PME.
- 9. (Original) A process according to claim 8 wherein the PME modified pectin is a high ester pectin.
- 10. (Previously Presented) A process according to claim 8 wherein the PME modified pectin contains from about 55% to about 85% ester groups.
- 11. (Previously Presented) A process according to claim 8 wherein the PME modified pectin contains from about 70% to about 80% ester groups.
- 12. (Previously Presented) A process according to claim 8 wherein the PME modified pectin contains from about 72% to about 80% ester groups.
- 13. (Previously Presented) A process according to claim 9 wherein the PME modified pectin contains from about 76% to about 80% ester groups.
- 14. (Previously Presented) A process according to claim 1 wherein the process includes the further step of adding the PME modified pectin to a medium that is suitable for consumption.
- 15. (Original) A process according to claim 14 wherein the medium is an acidic environment.

In re Application of: Christensen et al Serial No. 10/018,604

- 16. (Previously Presented) A process according to claim 15, wherein the acidic environment has a pH of from about 3.5 to about 5.5.
- 17. (Original) A process according to claim 16, wherein the acidic environment has a pH of about 4.
- 18. (Previously Presented) A process according to claim 15 wherein the medium is an aqueous solution.
- 19. (Original) A process according to claim 18 wherein the aqueous solution is a beverage.
- 20. (Original) A process according to claim 19 wherein the beverage is an acidified milk beverage, a drinking yoghurt, a fruit juice, milk beverage or a beverage comprising whey protein or a vegetable protein such as soya.
- 21. (Previously Presented) A process according to claim 18 wherein the medium comprises a protein.
- 22. (Previously Presented) A process according to claim 21 wherein the protein is derived from or is derivable from or is in a dairy product.
- 23. (Previously Presented) A process according to claim 22 wherein the protein is casein or whey protein or a vegetable protein.
- 24. (Previously Presented) A PME modified pectin produced by the process according to claim 1.
- 25. (Previously Presented) A food stuff comprising a PME modified pectin prepared by the process according to claim 1.

In re Application of: Christensen et al Serial No. 10/018,604

- 26. (Previously Presented) A PME modified pectin according to claim 24 wherein the pectin has a molecular weight from about 50kDa to about 200kDa.
- 27. (Original) A PME modified pectin according to claim 26 wherein the pectin has a molecular weight of about 100kDa.
- 28. (Currently Amended) A transformed host as defined in claim 1 comprising a construct comprising promoter and termination sequences operable in plant cells an there between an nucleotide sequence comprising all or part of SEQ ID No 1 or SEQ ID No 1 or SEQ ID No 3 or SEQ ID No 4 or a variant, homologue or fragment thereof in an antisense orientation.
- 29. (Original) A transformed host according to claim 28 wherein the host is a plant.
- 30. (Previously Presented) A transformed host according to claim 28 wherein the host is a tomato plant.

Claims 31-33 (Canceled).